

TRIBHUVAN UNIVERSITY  
INSTITUTE OF ENGINEERING  
**KANTIPUR ENGINEERING COLLEGE**

Model Questions for B.E. Entrance Test (2073)

**Set: III (A)**

**Time: 2 hours**

**Date: 2073/04/08**

**Section: I Select the Best Alternative on the answer sheet given**

**60×1 = 60**

1. The young boy ogled at the beautiful ball in the shop. The synonym of 'ogled' is:  
(A) complained (B) mixed (C) separate (D) stared
2. Locate the word with a silent // in the middle.  
(A) polite (B) talk (C) color (D) below
3. The word 'confidence' has its primary stress on the ..... syllable.  
(A) third (B) second (C) first (D) fourth
4. The word ..... has /æ/ sound in the middle.  
(A) hat (B) halt (C) hollow (D) hall
5. Neither you nor I ..... going there.  
(A) am (B) are (C) were (D) have been
6. Make your lazy brother ..... hard.  
(A) to work (B) work (C) worked (D) working
7. I felt the house.....  
(A) moving (B) moved (C) move (D) had moved
8. If I (be) you, I would save the money.  
(A) am (B) are (C) had been (D) were
9. They ..... that they'd be late for the programme.  
(A) say (B) said (C) tell (D) is telling
10. Listen! The bell .....  
(A) rang (B) has rung (C) was rung (D) is ringing
11. The pretty girl was lame ..... one leg.  
(A) of (B) by (C) with (D) in
12. The passive voice of 'Let him do it' is .....  
(A) Let it done (B) Let it be done (C) Let it be done by him (D) Let him be done
13. One who is indifferent to pain and pleasure is called .....  
(A) cosmopolitan (B) heretic (C) stoic (D) theist
14. Which of the following is a simple sentence?  
(A) Besides making a promise, she kept it. (B) Waste not, want not.  
(C) I paid off the debts which my father had contracted. (D) Spare the rod; spoil the child.
15. Magnetic quantum number specifies  
(A) orbital size (B) orbital orientation (C) orbital shape (D) nuclear stability
16. In which of the following compounds, covalent and coordinate bonds are present?  
(A) ammonia (B) potassium bromide (C) water (D) hydrogen peroxide
17. Bleaching action of SO<sub>2</sub> is due to  
(A) reduction (B) oxidation (C) hydrolysis (D) displacement
18. The mass of 1 atom of He is  
(A)  $6.64 \times 10^{-24}$  g (B)  $6.023 \times 10^{-24}$  g (C)  $3.34 \times 10^{-24}$  g (D)  $6.64 \times 10^{-23}$  g

19.  $\text{BF}_3$  is  
 (A) Lewis base (B) Arrhenius base (C) Lewis acid (D) Bronsted – Lowry acid
20. Which one of the following show variable valency?  
 (A) s-Block elements (B) p- Block elements (C) d-Block elements (D) f- Block elements
21. Chalcopyrite is the ore of  
 (A) Na (B) Zn (C) Fe (D) Cu
22. For softening of water by Calgon's process which of the following compounds is used?  
 (A) Slaked lime (B) sodium carbonate  
 (C) sodium aluminium silicate (D) sodium hexametaphosphate
23. Anode used in Down's cell is  
 (A) iron vessel (B) graphite rod (C) carbon rod (D) platinum
24. Conc.  $\text{H}_2\text{SO}_4$  reacts with ethanedioic acid to form  
 (A)  $\text{CO} + \text{H}_2\text{O}$  (B)  $\text{CO} + \text{CO}_2 + \text{H}_2\text{O}$  (C)  $\text{CO}_2 + \text{H}_2\text{O}$  (D)  $\text{C}_2\text{H}_4 + \text{H}_2\text{O}$
25. Hydrolysis of Aluminium carbide forms  
 (A) ethene (B) ethyne (C) ethane (D) methane
26. Monomers of Benzene are the molecules of  
 (A) ethane mole (B) acetylene (C) propylene (D) ethylene
27. Two long capillary tubes A and B of radius  $R_B > R_A$  dipped in same liquid. Then  
 (A) same water rise in both (B) water rise is more in B than in A  
 (C) water rise is more in A than in B (D) all of these according to the density of water
28. There is no loss of kinetic energy in  
 (A) elastic collision (B) perfectly inelastic collision  
 (C) inelastic collision (D) plastic collision
29. In which process, the rate of transfer of heat is maximum?  
 (A) conduction (B) convection  
 (C) in all these, heat is transferred with same speed (D) radiation
30. The critical angle of light passing from glass to air is minimum for  
 (A) red (B) green (C) yellow (D) violet
31. The transverse nature of light is shown by  
 (A) interference (B) diffraction (C) radiation (D) polarization
32. If a soap bubble is charged with negative charge, its radius  
 (A) will increase (B) will decrease (C) remain same (D) data is not sufficient
33. If a high power heater is connected to electric mains, then the bulbs in the house become dim, because there is  
 (A) potential drop (B) current drop (C) no current drop (D) no potential drop
34. At the magnetic poles of the earth, a compass needle will be  
 (A) horizontal (B) vertical (C) bent slightly vertical  
 (D) inclined at  $45^\circ$  to the horizontal
35. Inner walls of big halls should be a good sound  
 (A) amplifier (B) reflector (C) absorber (D) transmitter
36. If we consider electrons and photons of the same wavelengths, they will have same  
 (A) energy (B) velocity (C) momentum (D) acceleration

37. Let  $A = \{1, 2, 3, 4\}$  and  $B = \{2, 4\}$  then  $n\{(A \times B) \cap (B \times A)\}$  is  
 (A) 0 (B) 2 (C) 4 (D) 3
38. If both roots of the equation  $2x^2 - (m - 7)x + n = 0$  are zero then the values of  $m$  and  $n$  are respectively  
 (A) 0, 7 (B) 7, 0 (C) 2, 0 (D) 0, 2
39. The general solution of  $7\sin^2x + 3\cos^2x = 4$  is  
 (A)  $n\pi \pm \frac{\pi}{4}$  (B)  $n\pi \pm \frac{\pi}{6}$  (C)  $n\pi \pm \frac{\pi}{3}$  (D)  $n\pi \pm \frac{\pi}{2}$
40. If  $A = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$  then  $A^2 + 2A$  is  
 (A) A (B) 3A (C) 2A (D) 4A
41. If  $\lim_{x \rightarrow 1} \frac{x + x^2 + x^3 + \dots + x^n - n}{x - 1} = 66$  then the value of  $n$  is  
 (A) 9 (B) 11 (C) 10 (D) 12
42. The derivative of  $\tan^{-1}\left(\frac{3x - x^3}{1 - 3x^2}\right)$  with respect to  $x$  is  
 (A)  $\frac{3}{1 + x^2}$  (B)  $\frac{1}{9 + x^2}$  (C)  $\frac{1}{1 + x^2}$  (D)  $\frac{3}{1 + 9x^2}$
43.  $\int \cos^{-1}\left(\frac{1 - \tan^2 x}{1 + \tan^2 x}\right) dx$  is  
 (A)  $\tan^{-1}2x + c$  (B)  $\frac{\cos 2x}{2} + x + c$  (C)  $x^2 + c$  (D)  $(\sin^{-1}x)^2/2 + c$
44. The angle between the vectors  $\vec{a} \times \vec{b}$  and  $\vec{b} \times \vec{a}$  is  
 (A)  $0^\circ$  (B)  $45^\circ$  (C)  $90^\circ$  (D)  $180^\circ$
45. The points  $(3, 3)$ ,  $(h, 0)$  and  $(0, k)$  are collinear if  
 (A)  $\frac{1}{h} + \frac{1}{k} + \frac{1}{3} = 0$  (B)  $\frac{1}{h} - \frac{1}{k} = \frac{1}{3}$  (C)  $-\frac{1}{h} + \frac{1}{k} = \frac{1}{3}$  (D)  $\frac{1}{h} + \frac{1}{k} = \frac{1}{3}$
46. The projection of a line on the coordinate axes are 2, 3, 6. Then the length of the line is  
 (A) 7 (B) 6 (C) 11 (D) 1
47. Which of the following is compulsory in a four stroke petrol engine?  
 (A) port (B) fuel injector (C) spark plug (D) none
48. In diesel the ignition takes place because of .....  
 (A) mixed effect of spark and compression (B) high compression  
 (C) spark (D) none
49. Which of the following is not the example of renewal type of source of energy?  
 (A) bioethanol (B) coal (C) solar (D) wind energy
50. The lumps formed by heating lime stone and clay with other raw materials for cement is called.....  
 (A) aggregate (B) brick (C) stone (D) clinker
51. Sand is also known as .....  
 (A) stone (B) coarse aggregate (C) fine aggregate (D) none



52. In vertically placed traffic light signals, which color is on the middle?  
 (A) yellow (B) red (C) green (D) None
53. Zebra crossing on roads are for crossing the roads for.....?  
 (A) light vehicles (B) heavy vehicles (C) only two wheelers (D) pedestrians
54. The source of energy which is not derived from the fossils is  
 (A) petrol (B) wind (C) coal (D) diesel
55. The main purpose of using core in a transformer is to  
 (A) decrease reluctance of the common magnetic circuit  
 (B) Prevent eddy current (C) eliminate magnetic hysteresis (D) decrease iron losses
56. Ohm's law defines .....  
 (A) voltage, capacitance (B) current, power (C) voltage, current, resistance (D) none
57. For a sixteen bit system one word is equal to ....  
 (A) 8 bit (B) 10 bit (C) 16 bit (D) 12 bit
58. Which of the following is not the function of not gate ....  
 (A) invert an input signal (B) stop a signal  
 (C) compliment a signal (D) change the logic in digital circuit
59. Which of the following is internet browser? ....  
 (A) Mozilla firefox (B) google chrome (C) opera (D) all of above
60. Which of the following is pointing device ....  
 (A) joystick (B) RAM (C) hard disc (D) all of above

**Section: II Select the Best Alternative on the answer sheet given**

**40×2 = 80**

**Read the passage and answer the questions from 61 to 64.**

Through the break between the trees, she looked into one of the lighted windows above the shop. She could see the cartoons of biscuits neatly piled near the far wall. Against her conscious wishes Cissy's saliva glands starting pumping the fluid into her mouth. She felt her heart beating strongly from top of her throat into the back of her mouth. There is nobody, she thought. I can dash in and take a box and dash out again. I know it is a sin, but the Lord will not punish us if we are so hungry.


61. The whole passage is the description of.....  
 (A) Cissy's courage for stealing (B) Cissy's temptation before stealing  
 (C) Cissy's plan before stealing (D) Cissy's greed for stealing
62. What was Cissy's reaction when she saw the biscuit cartoons?  
 (A) She wanted to eat all the biscuits (B) She felt like vomiting  
 (C) She thought of all the toffees she had eaten (D) Her mouth started watering
63. Why did her heart beat strongly?  
 (A) She thought nobody was watching her. (B) She was thinking of stealing the biscuits.  
 (C) She was eager to taste the biscuits. (D) She was ill and running a temperature.
64. How do you know Cissy felt guilty?  
 (A) She knew what she was doing was morally wrong.  
 (B) She felt her heart pounding inside her chest.  
 (C) She was saying her prayers before she went to steal.  
 (D) She knew that she was about to do something selfish.
65. IUPAC name of  $\text{CH}_3\text{-CH}_2\text{-CH(CN)-CH}_3$  is  
 (A) 2- cyanobutane (B) 2-methylbutanenitrile  
 (C) 3-methylbutanenitrile (D) 3- cyanobutane

66. 0.873 amp current is passed through  $\text{CuSO}_4$  solution for 3 minutes, the mass of Cu deposited at cathode is  
 (A) 0.0145 g (B) 0.0469 g (C) 0.036 g (D) 0.0517 g
67. If 250 ml of 0.25 M NaCl solution is diluted with water to a volume of 500 ml, the new concentration of the solution is  
 (A) 0.125 M (B) 0.167 M (C) 0.08333 M (D) 0.0167 M
68. A pungent gas formed by heating Sal ammoniac with slaked lime on oxidation in the presence platinum gauze forms  
 (A)  $\text{N}_2$  (B)  $\text{NO}_2$  (C) NO (D)  $\text{HNO}_3$
69. The velocity of the particle 6 m/s eastwards changes to 8 m/s northwards in 10 s. What is the magnitude of the average acceleration during this interval of time?  
 (A)  $1 \text{ m/s}^2$  (B)  $1.4 \text{ m/s}^2$  (C)  $0.2 \text{ m/s}^2$  (D)  $0.1 \text{ m/s}^2$
70. Two bodies A (of mass 1kg) and B (of mass 3kg) are dropped from the heights 16 m and 25 m respectively. The ratio of the time taken by them to reach the ground is  
 (A) 4/5 (B) 5/4 (C) 12/5 (D) 5/12
71. Weight of man when standing on a lift is 60N. What is the weight when he is standing on lift which is moving upwards with acceleration  $4.6 \text{ m/s}^2$ ? (take  $g = 9.8 \text{ m/s}^2$ )  
 (A) 30N (B) 60N (C) 90N (D) 3N
72. For steel  $Y = 2 \times 10^{11} \text{ N/m}^2$ . The force requires to double the length of a steel wire of area  $1 \text{ cm}^2$  is  
 (A)  $2 \times 10^6 \text{ N}$  (B)  $2 \times 10^7 \text{ N}$  (C)  $2 \times 10^8 \text{ N}$  (D)  $2 \times 10^5 \text{ N}$
73. Water rises in a capillary tube through a height h. If the tube is inclined to the liquid surface at  $45^\circ$ , the liquid will rise in the tube upto its length equal to  
 (A)  $h/\sqrt{2}$  (B) h (C)  $\sqrt{2}h$  (D) 2h
74. The two fixed points of a thermometer are wrongly marked at  $5^\circ\text{C}$  and  $95^\circ\text{C}$ . It shows a reading of  $41^\circ\text{C}$  in a room. The correct room temperature is  
 (A)  $40.5^\circ\text{C}$  (B)  $40^\circ\text{C}$  (C)  $10^\circ\text{C}$  (D)  $41.5^\circ\text{C}$
75. If the amount of heat given to a system be 35 joule and the amount of work done by the system be  $-15$  joule then the change in internal energy of the gas is  
 (A)  $-50$  joule (B) 20 joule (C) 30 joule (D) 50 joule
76. The tension in vibrating stretched piano wire is 10N. To double the frequency, the tension in the wire must be  
 (A) 5 N (B) 20 N (C) 80 N (D) 40 N
77. An object of height 1.5 cm is placed on the axis of a convex lens of focal length 25 cm. A real image is formed at a distance of 75 cm from the lens. The size of the image will be  
 (A) 4.5 cm (B) 5.0 cm (C) 0.75 cm (D) 3.0 cm
78. In Young's double slit experiment, the maximum intensity is  $I_0$ . When one slit is closed, the intensity becomes  
 (A)  $I_0/4$  (B)  $I_0/3$  (C)  $I_0/2$  (D)  $I_0$
79. The period of oscillation of a freely suspended bar magnet is 4 second. If it is cut into two equal parts in length, then the time period of each part will be  
 (A) 4 sec (B) 8 sec (C) 2 sec (D) 1 sec
80. A capacitor of  $20 \mu\text{F}$  is charged upto 500V and is connected in parallel with another capacitor of  $10 \mu\text{F}$  which is charged upto 200V. The common potential is  
 (A) 500 V (B) 400 V (C) 300 V (D) 200 V


81. If two wires having resistances  $R$  and  $2R$  are joined in series and in parallel then ratio of heat generated in this situation is  
 (A) 2:1 (B) 9:2 (C) 2:9 (D) 1:2
82. The work function of a metallic surface is  $5.01 \text{ eV}$ . The photoelectrons are emitted when light of wavelength  $2000 \text{ \AA}$  falls on it. The potential difference applied to stop the fastest photoelectrons is ( $h = 4.14 \times 10^{-5} \text{ eV sec}$ )  
 (A)  $4.8 \text{ V}$  (B)  $2.24 \text{ V}$  (C)  $2.4 \text{ V}$  (D)  $1.2 \text{ V}$
83. If a sample of  $16 \text{ gm}$  radioactive substance disintegrate to  $1 \text{ gm}$  in  $120 \text{ days}$ , then what will be the half-life of the sample?  
 (A)  $15 \text{ days}$  (B)  $7.5 \text{ days}$  (C)  $30 \text{ days}$  (D)  $60 \text{ days}$
84. The domain and range of the function  $f(x) = \sqrt{4x - x^2}$  are  
 (A)  $[0, 4], [0, 2]$  (B)  $[-2, 2], [0, 2]$  (C)  $\mathbb{R}, [0, 2]$  (D)  $[2, 4], [0, 2]$
85. If  $\sin 2A + \sin 2B = \sin 2C$  then the triangle is  
 (A) right angled (B) equilateral (C) isosceles (D) scalene
86. In a football championship  $153$  matches were played. Every team played one match with each other, the number of teams participating in the championship is  
 (A)  $17$  (B)  $20$  (C)  $19$  (D)  $18$
87. If  $a, b, c$  are in A.P.;  $b, c, d$  are in G.P.;  $c, d, e$  are in H.P. then  $a, c, e$  are in  
 (A) A.P. (B) G.P. (C) H.P. (D) A.G.P.
88. The complex number  $\frac{a + ib}{c + id}$  is purely real if  
 (A)  $ac = bd$  (B)  $ab = cd$  (C)  $ad = bc$  (D)  $ac = -bd$
89.  $1 + \frac{1+2}{2!} + \frac{1+2+2^2}{3!} + \dots$  to  $\infty$  is  
 (A)  $e^2$  (B)  $e^2 - 1$  (C)  $e^3 - e^2$  (D)  $e^2 - e$
90. If three vectors  $\vec{a}, \vec{b}, \vec{c}$  satisfy  $\vec{a} + \vec{b} + \vec{c} = 0$  and  $|\vec{a}| = 3, |\vec{b}| = 5, |\vec{c}| = 7$  then the angle between  $\vec{a}$  and  $\vec{b}$  is  
 (A)  $30^\circ$  (B)  $45^\circ$  (C)  $90^\circ$  (D)  $60^\circ$
91. If  $y = mx$  be one of the bisectors of the angle between the lines  $ax^2 - 2hxy + by^2 = 0$  then  
 (A)  $h(1 + m^2) + m(a - b) = 0$  (B)  $h(1 - m^2) + m(a + b) = 0$   
 (C)  $h(1 - m^2) + m(a - b) = 0$  (D)  $h(1 + m^2) + m(a + b) = 0$
92. The value of  $\lambda$  for which the circle  $x^2 + y^2 + 2\lambda x + 6y + 1 = 0$  intersects the circle  $x^2 + y^2 + 4x + 2y = 0$  orthogonally is  
 (A)  $-\frac{5}{2}$  (B)  $-\frac{5}{4}$  (C)  $-\frac{11}{8}$  (D)  $-1$
93. The line  $x - 1 = 0$  is the directrix of the parabola  $y^2 - kx + 8 = 0$ . Then one of the values of  $k$  is  
 (A)  $\frac{1}{8}$  (B)  $8$  (C)  $4$  (D)  $\frac{1}{4}$
94. The plane  $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 3$  meets the coordinate axes in  $A; B - C$ . The centroid of the triangle  $ABC$  is  
 (A)  $(a, b, c)$  (B)  $\left(\frac{3}{a}, \frac{3}{b}, \frac{3}{c}\right)$  (C)  $\left(\frac{1}{a}, \frac{1}{b}, \frac{1}{c}\right)$  (D)  $\left(\frac{a}{3}, \frac{b}{3}, \frac{c}{3}\right)$



95. The differential equation satisfied by the function  $y = \sqrt{\sin x + \sqrt{\sin x + \sqrt{\sin x + \dots}}}$  to  $\infty$  is  
 (A)  $(2y - 1) \frac{dy}{dx} - \sin x = 0$  (B)  $(2y - 1) \cos x + \frac{dy}{dx} = 0$   
 (C)  $(2y - 1) \frac{dy}{dx} - \cos x = 0$  (D)  $(2y - 1) \cos x - \frac{dy}{dx} = 0$
96. The function  $f(x) = \tan x - x$   
 (A) always increase (B) always decreases (C) never decreases  
 (D) sometimes increases and sometimes decreases
97. If  $f'(x) = e^x + \frac{1}{1+x^2}$  and  $f(0) = 1$  then  $f(x)$  is  
 (A)  $\tan^{-1} x - 2$  (B)  $e^x + 2$  (C)  $e^x + \sin^{-1} x$  (D)  $e^x + \tan^{-1} x$
98. The area bounded by the curve  $y = 4x - x^2$  and x-axis is  
 (A) 16 sq. units (B)  $\frac{32}{3}$  sq. units (C) 32 sq. units (D)  $\frac{16}{3}$  sq. units
99. Select the correct object for the given set of views. (FM 2)



100. Which of the following view/s is wrong?(FM 2)



- (A) Both front and top views (B) Front view only  
 (C) Left side view only (D) Top view only

\*\*\*\*\*